TRANSPORTATION LIBRARY

PUBLIC ROADS

A JOURNAL OF HIGHWAY RESEARCH

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF PUBLIC ROADS

INDEX
TO VOLUME 18

MARCH 1937-FEBRUARY 1938

CHRONOLOGICAL LIST OF ARTICLES

MARCH 1937:

	Page
The Theory of Soil Consolidation and Testing of Foundation Soils	1

APRIL 1937:

The Effect of Vibration on the Strength and Uniformity of Pavement Concrete	25

MAY 1937:

The Effect of Curing Conditions on Strength of Concrete Test Specimens Containing Burnt Clay Aggregates	53
The Oliensis Spot Test Improved	59
Slipperiness of Road Surfaces Studied by English Investigators	62
Motor-Fuel Consumption, 1936	63
State Motor-Fuel Tax Receipts, 1936	64

JUNE 1937:

The Value of Petrography in Determining the Quality of Rock	69
Vehicle Speeds on Connecticut Highways	75
State Motor-Vehicle Registrations, 1936	78
State Motor-Vehicle Receipts, 1936	80

JULY 1937:

Laboratory, Exposure, and Simulated Service Tests of Slow-Curing Liquid Asphalts	85

AUGUST 1937:

Tourist Travel in the United States	101
Effect of Highway Design on Vehicle Speed and Fuel Consumption Studied in Oregon	117

SEPTEMBER 1937:

	Page
A Study of the Passing of Vehicles on Highways	121
Disposition of State Motor-Fuel Tax Receipts, 1936	138
Disposition of State Motor-Vehicle Receipts, 1936	140
Disposition of State Motor-Carrier Tax Receipts, 1936	142
Disposition of Receipts from State Imposts on Highway Users, 1936	144

OCTOBER 1937:

Distribution of Wheel Loads and Design of Reinforced Concrete Bridge Floor Slabs	149

NOVEMBER 1937:

Channel Changes on Forest Highways	169
Experimental Erosion Control on Forest Highway Fills	176

DECEMBER 1937:

A Machine for Impact and Sustained Load Tests of Concrete	185
Determination of Variation in Unit Pressure over the Contact Area of Tires	195

JANUARY 1938:

Present Knowledge of the Design of Flexible Pavements	201

FEBRUARY 1938:

The Structural Design of Flexible Pipe Culverts	217
Eighth International Road Congress to be Held in June	232

LIST OF AUTHORS

BARBER, E. S.
BENKELMAN, A. C.
BUCHANAN, JAMES A.
ERPS, H. R.
FARMER, H. D.
GOOGINS, A. L.
HEBDEN, NORMAN
HILLMAN, W. O'B.
JACKSON, F. H.
KELLERMANN, W. F.
LEWELLEN, A. B.
LEWIS, R. H.
PALMER, L. A.
PARKER, J. L.
PEABODY, L. E.
RUNNER, D. G.
SPANGLER, M. G.
SPASOFF, I. MANSFIELD
TELLER, L. W.
THOMPSON, J. T.
TILDEN, C. J.
WELBORN, J. Y.

ABBREVIATIONS

a.—article(s), report(s)

fn.—footnote

r.—reference(s), referred to

r. to p.—reference(s) to publication(s)

INDEX TO PUBLIC ROADS, VOLUME 18

A

Page

Abrasion, resistance of liquid asphaltic test mixtures to ... 95–99
Abson's method for recovery of asphalt ... 94
Absorption of water:
  by aggregates, data for various aggregates used in concrete ... 26, 53, 73
  by concrete, comparative data for—
    Haydite and limestone concretes variously cured ... 54–58, 61
    vibrated and nonvibrated pavement concretes of various mixes ... 30–32, 39–41, 44–46
  by soils, treatment of forest highway fill soils having—
    high absorptive powers ... 181
    slight absorptive powers ... 182
Acceleration in oscillation of pendulums ... 187–192
Accelerometers:
  mounting and use in load tests of concrete ... 188 (fn.) 190, 192, 193
  r. to p ... 192 (fn.)
Accidents (highway), relation to vehicle speeds, Connecticut data ... 76, 77
Acids (sulphurous, organic) as affecting rock decay ... 70, 72
Administration of highways, funds for, *see* Revenues, highway.
Admixtures, use in soil stabilization ... 201, 203
Adsorptive properties:
  of argillaceous matter ... 73
  of soils in relation to soil stabilization, r. to p ... 201 (fn.)
Aggregates:
  bituminous aggregates—
    sizes commonly used in oil-processed roads ... 93
    types, gradings, and proportions used in liquid asphaltic mixtures tested on circular track ... 85, 93, 98, 99
  concrete aggregates—
    gradings used in test concretes ... 26, 53
    presaturation in tests of Haydite and limestone concretes ... 53, 61
    tests—
      significance of, r. to p ... 73 (fn.), 77
      test results for several aggregates ... 26, 53
    types and proportions used, relation to quality of test concretes ... 25–49, 53–58, 61
    varieties of rock apt to be unsatisfactory ... 73, 74
  durability—
    determination by petrographic study ... 69–74, 77
    factors affecting ... 70, 72–74
Aging methods, aging periods used for slow-curing liquid asphaltic test specimens:
  relation to—
    stability ... 89–99
    xylene equivalents ... 60, 61
  severity of, comparison with severity of road conditions ... 99
Air:
  exposure to, effects upon—
    components of rock ... 70, 72
    liquid asphalts (slow-curing) ... 60, 61, 85, 89–99
Air curing of concrete as affecting strength of Haydite and limestone concretes tested at different ages ... 53–58, 61
Air-fuel ratio as affecting fuel consumption by motor vehicles ... 118
Ames settlement cells, use, r. ... 224
Angel of Shavano ... 212
Arches, displacement theory, application in design of flexible culvert pipe ... 222, 223
Argillaceous materials in rocks, argillaceous limestones ... 72–74
Asphalt pavements, impact reaction of sheet asphalt pavement on waterbound macadam base ... 204
Asphaltic residue tests of slow-curing liquid asphalts:
  data for selected materials ... 86–92, 99
  losses in, as indicative of asphalt ultimately to be developed ... 86, 87, 91, 92, 99
Asphaltic residues of selected liquid asphalts (slow-curing):
  reduction time ... 87–89
  test data ... 60, 61, 86–92, 99
Asphalts, asphaltic products:
  base materials of various asphalts ... 59, 60, 85, 86, 88, 90
  heterogeneity and tests for ... 59–61, 86–88, 91–93
  liquid asphaltic materials, research ... 59–61, 85–99

Asphalts, asphaltic products—Continued. Page
  refining processes, data for various materials ... 59–61, 85
  semisolid asphalts, Oliensis spot tests before and after exposure ... 59–61
  specification requirements for solubility as protection against overheating of material in refining process ... 59
Association of Asphalt Paving technologists, investigation by ... 60, 85–99
Automobiles, *see* Motor vehicles.

B

Barber, E. S., joint author, a ... 1–20
Base courses:
  of flexible pavements, pressure distribution through ... 204, 207, 208
  type used for—
    circular test track ... 95, 98
    concrete slabs tested for effects of oscillator force impulses ... 206
Base exchange, usefulness in soil stabilization ... 203
Base materials of various asphaltic products ... 59, 60, 85, 86, 88, 90
Bates experimental road tests, r., r. to p ... 204
Bearing blocks, bearing plates, types used in load tests of soils ... 202–205
Bearing power:
  of flexible pavements ... 201–212
  of gravel roads in Minnesota ... 204
  of soils—
    comparative data for wet and for dry soils ... 201, 205
    increase by scientific methods ... 201–203, 211
    quantitative bearing capacity, knowledge of as essential in flexible pavement design ... 201, 202, 204, 209–212
    r. to p ... 201 (fn.), 202 (fn.), 203 (fn.), 204 (fn.), 205 (fn.),
    relation to—
      rigidity of bearing medium ... 202–205, 208, 210–212
      shearing resistance of soil and of overlying flexible road mat ... 209–212
      size and shape of loaded area ... 201–212
      soil characteristics ... 201–212
      thickness of surface of flexible pavement ... 202, 204, 207–212
    research, foreign (German, French) ... 202–209
    theory of soil consolidation and testing of foundation soils ... 1–20
Beidellite content of limestone aggregates, effects upon concrete ... 73
Bending moments, formulas and application of in design:
  of culvert pipe (corrugated metal) ... 218, 219, 222, 223, 230
  of reinforced concrete bridge floor slabs ... 149–167
Bending resistance of flexible road mat under load as affecting displacement of subgrade adjacent to loaded area ... 204, 211
Benkelman, A. C., a ... 201–212
Benzol-dissolved liquid asphalts and bitumen recovered from them, tests ... 94
Bibliography of highway lighting, publication notice ... 116
Binders, binding materials:
  bituminous binders, tests of ... 59–61, 85–99
  cohesive soil binders, addition to granular soils in soil stabilization ... 201, 203
  see also Bond.
Bitumen losses:
  of liquid asphaltic materials (slow-curing), data from exposure and laboratory tests ... 85–99
  of mixtures containing liquid asphaltic materials (slow-curing), data for cylinders and circular track sections ... 93–99
Bitumen recovered from mixtures containing liquid asphalts (slow-curing), test data ... 94, 97, 98
Bituminous materials:
  tests of ... 59–61, 85–99
  use in soil stabilization ... 201, 203
Bituminous paving mixtures, tests of fine aggregate mixtures of slow-curing liquid asphalts ... 85–99
Bituminous roads:
  bituminous concrete roads, service behavior, test for determining, r., r. to p ... 94
  design of flexible pavements, a ... 201–212

Bituminous roads—Continued. Page
  efficiency in respect to fuel consumption by motor vehicles ... 118
  impact reactions ... 204–206
Blends:
  of cracked and uncracked asphaltic materials, tests ... 59, 85–99
  of solvents, use and results from in spot tests of asphaltic materials ... 59–61, 92, 93
Block pavements (wood, rubber), skidding coefficients for ... 62
Bond:
  in liquid asphaltic paving mixtures after testing on circular track, data for several samples ... 95–99
  in rocks, cementing media ... 70, 73, 74
Bonds (highway), funds for from various State tax receipts, 1936 ... 138–140, 142, 144, 145
Bonney (Harger and Bonney) formula for design of flexible pavements ... 208, 209, 211
Boussinesq formulas (soil mechanics), r., r. to p ... 13, 14
Brick pavements, pressure distribution on subgrade, Bates road test data ... 204
Bridges, highway:
  concrete bridge floor slabs—
    distribution of wheel loads and design of reinforced slabs, a ... 149–167
    strength tests, r., r. to p ... 53
  forest highway bridges and channel changes, comparative costs ... 169–172, 175
  "Highway Bridge Surveys," publication notice ... 137
  lighting of, r. to p ... 116
Brush wattles, brush layers, use in erosion control of forest highway fills (California) ... 176–182
Buchanan, James A., joint author, a ... 185–198
Budge, E. J., formulas ... 149
Bulldozers, use in erosion control on forest highway fills ... 178
Burned clay culverts, supporting power, r. ... 217
Burnt clay aggregates as affecting strength of concretes variously cured ... 53–58, 61
Business, use of passenger automobiles for ... 104–106, 109, 110, 114
Busses, motor:
  registrations and fees paid for, United States (1936) ... 78–81
  speeds on Connecticut highways ... 75

C

Calcite in rocks used as concrete aggregates, effects of ... 72–74
Calcium carbonate:
  as cementing medium in sandstone ... 73
  reaction with quartz to form wollastonite ... 73
Camera, motion picture, mounting in study of passing of vehicles on highways ... 121
Camp stoves and fireplaces, r. to p ... 212
Camp units, lay-outs for, r. to p ... 212
Camps and cabins, tourists' homes, use by automobile tourists ... 107, 112–115
Cantilever concrete beams, impact and sustained load tests of:
  machine used, a ... 185–194
  test specimens, description of ... 186
Canvas layers, use in measurement of pressures on flexible culverts under earth embankments ... 225, 226, 228
Carbenes, presence in liquid asphalts (slow-curing) and relation to dispersion in xylene and naphtha-xylene ... 83, 93
Carbon contents of selected asphalts (slow-curing) and their residues ... 86–88, 93, 99
Carbon dioxide as affecting rock decay ... 70, 73
Carbon disulphide, use as solvent in tests of asphaltic materials and results obtained ... 60, 61, 86, 87, 89, 91, 92, 98
Carbon tetrachloride:
  high solubility of asphaltic materials in, as indicating that the material has not been overheated ... 59
  use as solvent in tests of asphaltic materials and results obtained ... 60, 61, 86–89, 91, 92, 94, 98
Casagrande, Arthur, soil research ... 1
"Celite," use in Haydite concrete ... 53
Cement, use in soil stabilization ... 201, 203
Cement content of concrete:
  data for Haydite and limestone concretes tested for effect of curing conditions on strength ... 53, 56

Cement content of concrete—Continued. Page
reduction in vibrated pavement concretes, cost savings 25, 30, 41, 43–45
specification requirement recommended for vibrated pavement concrete 43, 44
Cementing materials in rocks as affecting durability of rock 70, 73, 74
Channel changes on forest highways:
a 169–175, 182
cost data 169–172, 175
Chemical analyses of rocks (micaceous granite, diabase, diorite) before and after weathering 72
Chemicals, deliquescent, use in soil stabilization 201, 203
Chert, cherty limestones 69, 72, 73
Circular loaded areas, pressure distribution produced by:
in soil beneath 4, 5, 11, 12, 14, 203, 209–211
over area of contact of vehicle tire and pavement, comparative data for solid and pneumatic tires 195, 197, 198
relation to design of reinforced concrete bridge floor slabs 149–167
Circular track tests of slow-curing liquid asphaltic mixtures 85, 93, 95–99
Clay fills:
erosion control of forest highway fill (California) 176, 177
experimental fill used in design of flexible culverts—
description 223, 224
tamping as affecting deflections in culverts 224–231
Clay(s):
as constituents of natural rocks used as concrete aggregates, effects 72–74
as products of weathering of minerals found in granite 72
burnt clay aggregates, effect upon strength of concrete 53–58, 61
stabilization methods 176, 177, 201, 203
Clearances of vehicles passing on highways 121–127, 130–132, 134–137
Climatic conditions, weather, as affecting:
automobile tourist traffic, volume of 106–108, 111, 112
heterogeneity of semi-solid asphalts, development of 60
slipperiness of road surfaces 62
speeds of vehicles on highways 75–77, 117
Cohesion in soils, relation to:
bearing power 201–203, 208, 210, 211
earth pressures, development around flexible culverts under embankments 221
Cohesive soils, stabilization of. 176, 177, 181, 182, 201, 203
Collection and administration costs of various State imposts, 1936 80, 81, 138–145
Compaction:
of concrete in pavement construction, vibration method, study of 25–49
of fills—
and protection work in erosion control on forest highways 176–182
as affecting load-carrying capacity of flexible culverts 224–231
of liquid asphaltic mixtures, data for—
mixtures tested on circular track 95, 96, 98
stability cylinders 93
of soils at optimum moisture content 201, 203, 230, 231
Compressibility of soils:
as affecting subgrade performance 201–203, 211
coefficient of compressibility 3, 5, 14–17
modulus(i) of compression of fill material over flexible culverts, data for tamped and untamped material 225
theory of soil consolidation and testing of foundation soils, a 1–20
time-compression relations of soils under load 1–20
Compression reinforcement, areas of, data for reinforced concrete bridge floor slabs designed by modified formulas 159, 161, 162, 164–166
Compression tests of soils:
apparatus, laboratory 1, 2, 20
r. to p 1(fn.)
usefulness of 1, 6, 7, 19, 20
Compressive strength of concrete:
comparative data for—
Haydite and limestone concrete variously cured and tested at different ages 54, 58, 61
vibrated and nonvibrated pavement concretes of various mixes 25, 30–32, 38, 39, 41–45, 47–49
test methods and apparatus used for various concretes 30–32, 42, 53, 54, 58
Compressive stresses in fibers of concrete test beams as caused by moisture in the outer shell 57, 58
Concrete:
age of specimens, relation to strength 30–32, 38, 39, 53–58, 61
consistency flow of test mixes (Haydite, limestone) 53
durability, relation to quality of aggregates 69, 70, 72–74, 77
Haydite concrete, strength as affected by curing conditions 53–58, 61

Concrete—Continued. Page
pitting as caused by aggregates 73
tests—
load tests (impact loads, sustained loads) 185–194, 205–207
significance of, r. to p 73 (fn.), 77
strength tests (compressive, flexural) of various concretes 25, 30–32, 38, 39, 41–49, 53–58, 61, 185–194
vibrated concrete, strength and uniformity of 25–49
weights, comparative, of Haydite and limestone mixes used in test concretes 53
workability of vibrated concrete—
as affected by reduction in slump 42
workability factors for crushed stone and gravel pavement concretes 28–30, 41, 43–45, 47, 48
see also headings beginning Concrete—*also* Aggregates.
Concrete bridge floor slabs (reinforced):
design by modified Westergaard formulas—
a 149–167
examples of slab design 167
Westergaard formulas 149–151
moments produced by load, formulas for two types of reinforcement and several conditions of slab support 149–167
strength of test specimens as affected by materials and methods of placing, r. to p 53 (fn.)
Concrete culvert pipe:
reinforced concrete culvert pipe, tests of, r. to p 223 (fn.)
supporting ability, r 217
Concrete mixes, concrete mixing methods, used for certain test concretes 27–30, 53
Concrete mixing water, loss during curing, data for Haydite and limestone concretes 54–56
Concrete pavements:
construction methods—
distribution of concrete to subgrade 25, 26, 30, 31, 43, 46
vibration method—
a 25–49
specifications, recommendations 25, 43
design, investigation of, soil tests auxiliary to 203, 206, 207
dynamic properties, research 185–194, 205–207
efficiency in respect to fuel consumption by motor vehicles 118
joints in, action under vibration of pavement by oscillating machine 206, 207
multiple-lane concrete pavements, speeds of vehicles using (Connecticut data) 76
slipperiness of, skidding coefficients 62
thickness—
data for experimental vibrated and nonvibrated pavements with comparisons as to strength and uniformity 25–49
relation to subgrade rate of propogation of oscillator force impulses 206, 207
Concrete reinforcement:
bar sizes, bar spaces, used in study of design of reinforced concrete bridge floor slabs 158–162, 164–167
requirements for bridge floor slabs of two types of reinforcement and various conditions of slab support, computation by modified formulas 149–167
Conduits (underground), structural design of flexible pipe culverts, a 217–231
Congresses, road:
Eighth International Road Congress, program 232, 233
Third International Road Congress, reports (water-bound macadam roads), r 207
Consistency tests, *see* Concrete—Float tests.
Consolidation of soils, *see* Soil consolidation.
Corrugated metal pipe culverts, structural design, a 217–231
Costs, highway:
data for erosion control on forest highway fills (California) 177, 178, 180, 181
savings by means of—
channel changes on forest highways 169–172, 175
reduction in cement content of vibrated pavement concrete 25, 30
see also Revenues, highway.
County and local roads, funds for, from various State tax receipts, 1936 138–145
Cover material, types used in erosion control of forest highway fills (California) 176, 178, 180–182
Cracked and uncracked asphaltic products:
blends of, test data 59, 86–88, 91–93
comparative data for weather-resistant properties 59–61, 85–99
Cracks:
in liquid asphaltic mixtures—
circular track test sections 95, 96, 99
exposure test specimens 89, 90, 94
in rocks as affecting durability 70, 72
Crushed stone concrete:
strength and uniformity of pavement concrete as affected by vibration 25–49

Crushed stone concrete—Continued. Page
strength as affected by curing conditions, comparative data for limestone and Haydite concretes 53–58, 61
Crushed stone layers on dry sand and on wet clay, load tests of, comparative data 204
Crushing strength of concrete, *see* Compressive strength.
Crusts (surface), development on liquid asphaltic mixtures tested on circular track 95–99
Crystals, growth in igneous rocks 74
Culverts:
box culverts, rectangular, study of, r 227
flexible culverts (corrugated metal pipes)—
design, structural; experiments and calculations 217–231
installation and layout of experimental culverts, bedding 217, 220–224, 231
reaction to load—
as affected by thickness of pipe 219–221, 230
pressure distribution, deflections, movements, thrust, shear 217–231
research, recommendation 231
rigid culverts, reaction to load 217, 218, 220, 223, 227
Curing conditions, curing periods, effects on concrete, data for:
test specimens containing burnt clay aggregates 53–58, 61
vibrated pavement concretes and control specimens 25, 32, 43, 45
Curves, highway:
curvature data for forest roads constructed with and without channel changes 169, 170, 172, 182
effect upon—
motor-fuel consumption 117, 118
motor-vehicle speed 77, 117
spiraled curves, use on forest highways 170 (fn.), 182 (fn.)
Cushioning properties of tires, relation to pressures over contact areas 186, 187, 189–192, 195–198, 206

D

Debts and obligations (highway), service of, funds for from various State tax receipts, 1936 138–145
Deceleration:
definition 188 (fn.)
of pendulum during impact 191, 192
Deflection gages, use, r 204
Deflections:
in concrete cantilever beams—
comparative data for impact and sustained load deflections 186, 187, 189, 191–194
measurement, apparatus used in load tests 193, 194
in culvert pipe (corrugated metal) under earth embankments—
as affected by tamping of side fills 224–231
calculations and measurements, comparative data 217–225, 228–231
continuation after fill completion 230, 231
horizontal deflections 218–225, 228–231
relation to pressures at sides of pipe 217, 218, 220–224, 228–231
vertical deflections 218–225, 229–231
in pavements under load—
comparative data for flexible and rigid pavements 204–207
German research 202–207
in steel beams of load-measuring device in machine for load tests of concrete 193
in tires (motor-vehicle) under sustained and impact forces, tests auxiliary to load tests of concrete 186, 187, 191, 192
Deformations:
in culverts under load—
flexible culverts 217, 221, 231
rigid culverts 217
in materials under static and under impact forces as dependent upon time rate of deformation in material stresse 1 185
in soils—
comparison of observed deformations and deformations computed in accordance with theory of soil consolidation 1, 6, 7, 19, 20
soil characteristics furnishing resistance to deformation 201, 208, 210
in tires under sustained load, tests auxiliary to load tests of concrete 186, 187
Density(ies):
of concrete—
specific gravity test data for vibrated and nonvibrated pavement concretes of various mixes 30–32, 39–41, 45, 46
theoretical density, definition 46
of liquid asphaltic paving mixtures, relation to stability, circular track test data 97, 98
of soils—
density of fill materials as affecting pressure distribution on flexible culverts under load 230, 231

Page

Density(ies)—Continued.
of soils—Continued.
maximum density at optimum moisture content, compaction to.. 201, 203, 230, 231
Design:
highway design—
channel change design on forest highways.. 169–175, 182
flexible pavement design.. 201–212
relation to—
fuel consumption.. 117, 118
passing of vehicles on highways.. 121–137
speeds of vehicles.. 77, 117, 118
of pipe culverts (flexible).. 217–231
Diabase:
chemical analyses before and after weathering.. 72
texture, relation to durability.. 74
Diesel powered motor trucks, fuel consumption in relation to road grade.. 117, 118
Diluents, types used in reducing base materials of test liquid asphalts and effects upon volatility.. 85, 86, 90
Diorite, chemical analyses before and after weathering.. 72
Displacement-recording instrument, use in tests of pavements.. 205
Displacement(s), *see* Deflections—Deformations—Settlement.
Distillation processes used in production of semisolid asphalts tested.. 59, 60
Distillation residues of slow-curing liquid asphalts, test data.. 86, 87, 91, 94, 97
Distillation tests of slow-curing liquid asphalts:
as affecting alterations in materials.. 86
as indicative of—
incompatibility of blended mixture (cracked and uncracked materials).. 87, 90, 99
rate of volatility upon exposure.. 90
data for several materials tested for weather-resistant properties.. 86–91, 97, 99
requirements, conformity with as indicative of hardening properties of materials.. 86, 99
Drainage:
drainage conditions as affecting consolidation of soils under pressure.. 1–20
drainage structures—
as means of soil stabilization.. 201
flexible pipe culverts, structural design, a.. 217–231
Drinking fountains, roadside.. 107
Drivers (motor-vehicle), driving habits when passing on highways.. 127, 129, 130, 134, 135
Drying methods as affecting strength of Haydite concrete and limestone concrete test specimens, comparative data:
drying prior to test after moist room curing.. 58, 61
drying to constant weight.. 54, 58, 61
oven drying, air drying.. 53–58, 61
partial drying.. 56–58, 61
rapid drying.. 58
Dubbs process, use in reduction of liquid asphaltic material tested for weather-resistant properties.. 85
Ductility tests of residues of selected liquid asphalts (slow-curing).. 85, 87–92
Duff (forest), use in erosion control on forest highways.. 176, 181, 182
Dumping operations in construction of test sections of vibrated concrete pavements.. 30
Dust, use as aggregate in liquid asphaltic mixtures tested on circular track.. 85, 93, 98, 99
Dynamic modulus of pavement reaction to moving vehicular load.. 206
Dynamic waves in road structures and soils under quickly applied force, propagation of.. 206, 207
see also headings beginning Impact.
Dynamometers, use in tests, r.. 195

E

Earth and gravel roads:
bearing capacity tests (Minnesota).. 204
design of flexible pavements, a.. 201–212
Earth pressure(s):
in compressible soil strata—
prior to loading.. 9–12, 15
when under load, computations.. 1–20
in soils under flexible pavements.. 201–212
on flexible pipe culverts under embankments—
calculations and measurements, comparative data for several culverts.. 217–231
lateral pressures, relation to structural action of pipes.. 217, 218, 220–224, 228–231
Rankine theory of.. 221
Earth stresses and their distribution:
calculation for compressible soils under load.. 1, 2, 10, 13, 14
stress reactions of subgrades under flexible pavements.. 209–211
Edge support requirements of reinforced concrete bridge floor slabs.. 152–154, 156–158, 167

Page

Elastic theory (thin-ring), application to flexible culvert pipe under earth embankments.. 217–220, 223, 230
Elasticity:
of concrete, determination in load tests of cantilever specimens.. 193
of culvert pipe (corrugated metal) under load, moduli of elasticity, calculation and values.. 218–220, 223
of soils, as affecting—
application of theory of soil consolidation.. 1, 13
propagation rate of quickly applied force.. 206, 207
subgrade performance.. 201, 202, 206, 207
Electric finishing machines, electric vibrators, types and operating methods, effects on strength and uniformity of pavement concretes.. 25–49
Embankments, protection in construction of channel changes on forest highways.. 169–175, 182
English investigations:
impact phenomena, r., r. to p.. 185
slipperiness of road surfaces.. 62
Erosion control:
in channel change construction of forest highways.. 169–175, 182
methods, specifications for, r. to p.. 180
on forest highway fills—
a.. 176–182
cost data (California).. 177, 178, 180, 181
Erps, H. R., joint author, a.. 149–167
Evaporation and other losses:
allowances for, in exemptions from payment of motor-fuel taxes, 1936.. 63
losses of volatile matter from liquid asphalts (slow-curing).. 85–99
Evaporation of liquid asphalts in obtaining test residues, methods and temperatures used.. 86, 87, 90
Excavation methods and costs in channel changes on forest roads.. 169–175, 182
Exhaust gas analyzer, use in fuel consumption tests of motor vehicles.. 118
Expenditures, highway, *see* Revenues, highway.
Exposure boxes, types used in tests of liquid asphalts (slow-curing) and comparative effects of.. 89–95, 97–99
Exposure residues:
of liquid asphaltic materials (slow-curing), test data for residues of various materials.. 60, 61, 85, 89–95, 97, 99
of semisolid asphalts, spot test data.. 59, 60
Exposure tests:
of liquid asphalts (slow-curing), data for—
a blend of cracked and uncracked materials.. 85–99
cracked and uncracked materials, selected.. 60, 61, 85, 89–95, 97–99
of semisolid asphalts.. 59, 60
Extraction of bitumen, method used for exposure test specimens of liquid asphalts.. 94, 97

F

Farmer, H. D., joint author, a.. 169–175, 182
Federal-aid highway projects, current status (statistics).. 21, 50, 65, 82, 100, 119, 146, 168, 183, 199, 213, 234
Fees, *see* Inspection fees (motor-fuel), etc.—Registration and other fees (motor-vehicle).
Feldspars:
effects upon rocks of which they are constituents.. 70–74
weathering and products of.. 70, 72, 74
Ferruginous materials as cementing media in sandstone, ferruginous limestone.. 73
Fills, earth:
height, relation to ratio of horizontal pressures on and diameter changes of underground culverts.. 221
on forest highways, protection and stabilization methods used—
in erosion control (experimental).. 176–182
with channel changes.. 169–175, 182
pressure distribution to flexible pipe culverts, calculations and measurements.. 217–231
settlement.. 224, 225, 227–231
tamping as affecting pressures on flexible culverts.. 224–231
theory of soil consolidation and testing of foundation soils, a.. 1–20
Films:
exposure test films of asphaltic materials, thickness of, relation to:
exposure losses.. 85, 89–92, 99
xylene equivalents.. 60, 61, 92, 93
motion pictures of vehicles passing on highways.. 121–137
Filtration of soils under load as affecting soil consolidation.. 1–20
Fines and penalties, receipts from, 1936, in connection with:
motor-fuel taxes.. 64
motor-vehicle taxes.. 80
Finishing of concrete pavements by vibration method, study of vibrating equipment.. 25–49

Page

Fireplaces for recreational areas, r. to p.. 212
Flash point requirement and test data for SC–2 grade of liquid asphaltic materials.. 86
Flexible pavements, design, a.. 201–212
Flexible pipe culverts, design, a.. 217–231
Flexural strength of concrete:
comparative data for—
Haydite concretes and limestone concretes variously cured and tested at different ages.. 53–58, 61
vibrated and nonvibrated pavement concretes of various mixes.. 25, 30–32, 38, 39, 41–49
machine for testing specimens under impact and under sustained loads.. 185–194
Flexural stresses in rings of culvert pipe (corrugated metal) under earth embankments.. 217–219, 230, 231
Flexure formula for culvert pipe (corrugated metal) under earth embankments.. 218, 219
Float tests:
data for—
bitumen recovered from—
liquid asphaltic mixtures after traffic tests.. 98
stability cylinders of liquid asphaltic mixtures after aging variously.. 94
liquid asphalts (slow-curing) and their residues.. 88–92
requirement for distillation residues of liquid asphalts of SC–2 grade.. 86
Floods, forest highway and bridge design in relation to.. 169, 170, 172, 175
Flow of water from compressible soils under load.. 1, 4–8, 14–17
Fog, effect on vehicle speeds on highways, Connecticut data.. 76
Foreign (out-of-State) motor vehicles:
speeds observed on Connecticut highways.. 75, 76
tourist traffic in the United States, a.. 101–116
Forest highways:
channel changes on.. 169–175, 182
erosion control (experimental) on fills.. 176–182
funds for park and forest roads, etc., from various State tax receipts, 1936.. 138–142, 144, 145
Foundation courses of flexible pavements:
pressure distribution in and bearing power of.. 210–212
stabilization.. 201, 203
Foundations:
of camp fireplaces, ovens, etc., building of, r. to p.. 212
settlement of, theory of soil consolidation and testing of foundation soils.. 1–20
stress distribution in soils below rigid foundations, knowledge of as applicable to design of flexible pavements.. 202–204, 207, 211
Fountains, roadside drinking.. 107
Freezing as affecting durability of:
concrete containing argillaceous limestone.. 73
rock.. 69, 73
French investigations:
flexible pavements, construction of.. 207–209
load distribution on road surfaces.. 207–209
Friction:
in channels of streams, provision for in channel changes on forest highways.. 169, 170
internal friction in soils—
as affecting bearing power.. 201, 208, 210
frictional resistance of soil particles to consolidation under load.. 1, 2, 14–17
road friction studies, r. to p.. 62 (fn.)
Friction bar used in tire tests.. 195, 196
Friction ribbons, use in measurement of pressure distribution on culvert pipe under load.. 224–229
Frictional forces in tire contact with reaction plate in tests of unit pressures over contact areas of tires under load.. 195, 196
Fuel, motor, *see* Motor-fuel consumption—Motor-fuel taxes (State), 1936.
Fuel problems at camps in recreational areas, r. to p.. 212

G

Gas oil, use in production of liquid asphaltic materials tested for weather-resistant properties.. 85, 86, 90
Gasoline, *see* Gasoline engines—Motor-fuel consumption—Motor-fuel taxes (State), 1936.
Gasoline engines, use in vibrating equipment for pavement concrete.. 26, 27
General funds (State and other), amounts allocated to from various State tax receipts, 1936.. 138–145
German investigations (loads on soils, on pavements).. 202–207, 211
Gilsonite, efficiency in correcting heterogeneity caused by waxy bodies in semisolid asphalts.. 60
Gilsonite equivalents of asphaltic materials:
data for semisolid asphalts before exposure.. 59, 60
definition.. 59

Page

Gilsonite equivalents of asphaltfe materials—Continued.
determination method 59
relation to xylene equivalents for same materials 59, 60
Glass-covered boxes, use in exposure tests of liquid asphalts, effects of 91–95, 97–99
Goerner, E. W., soil research 202, 213
Googins, A. L., joint author, a 149–167
Grade crossing projects, United States Works Program, current status 23, 52, 67, 84, 148, 215; rear covers of Nos. 5, 6, 8–10, 12.
Grades, highway:
effect on vehicle speed and fuel consumption, Oregon study 117, 118
level road rise equivalents, determination of 117
on forest highways constructed with channel changes 169, 170, 172
reduction below 6 percent, when justified 117, 118
Grading:
of aggregates, gradings used in—
concrete test specimens 26, 53
liquid asphaltic mixtures tested on circular track 93
of soils, improvement methods 201, 203
Grain, planting on forest highway fill slopes in erosion control 176, 178
Grains in rocks; shape, size, and arrangement as affecting durability of rock 73, 74
Granite:
graphic granite 74
micaceous granite, chemical analyses before and after weathering 72
minerals commonly found in—
detrimental minerals 70, 72, 74
weathering and effects of 72, 74
origin and composition 69–72
porphyritic granite 74
texture, relation to durability 74
Granitic soils of forest highway fills, erosion control 176–182
Granular soils:
as admixtures in stabilization of cohesive soils 201, 203
pressures developed by, theory of and application to pipe culverts under embankments 221
stabilization of 201, 203
Granular texture of rocks 74
Gravel base courses of flexible pavements, pressure distribution through 207
Gravel concrete, strength and uniformity of pavement concrete as affected by vibration 25–49
Gravel fills, pressure distribution to flexible culverts 221
Gravel subgrade, use for concrete slabs tested for effects of oscillator force impulses 206
Gravity, force of, as affecting oscillation of pendulums 187, 188, 190–192
Gray's formula for design of flexible pavements 208, 209, 211
Grinding lap for use in petrographic work 69, 70
Gulley erosion on forest highways (California) 180, 182
Gyration of pendulums, radii of, determination 188, 191

H

Hardening properties of liquid asphalts (slow-curing):
as indicated by—
distillation requirements for SC–2 material and consistency requirements for distillation residue 86, 99
tests (laboratory and exposure) 85–99
data for—
cracked and uncracked materials and a blend 85–99
materials after alternate wet and dry exposure 93–96, 98, 99
materials aged by different methods 89–95, 97, 99
Hardness:
of exposure residues of liquid asphalts (slow-curing)—
comparison with hardness of distillation residues of same materials 91, 94
relation to thickness of exposed films 89–92
Harger and Bonney formula for design of flexible pavements 208, 209, 211
Hawthorn formula for design of flexible pavements 209–211
Hawthorn method of determining:
angle of load distribution for different types of surfacing 209, 210
quantitative values of soil bearing power 210
Hay mats, hay wattles, use in erosion control on forest highway fills 178–182
Haydite aggregates, characteristics 53
Haydite concrete test specimens:
moisture absorption, moisture loss 54–58, 61
strength as affected by curing conditions 53–58, 61
Heat:
action on asphaltic materials, exposure test data 59–61, 85–99
see also Temperature(s).
Hebden, Norman, joint author, a 121–137
Heterogeneity tests:
of liquid asphalts (slow-curing) 60, 61, 86–88, 91–93
of semisolid asphalts 59, 60

Page

Highway Research Board, meeting, notice of 167
Hillman, W. O'B., joint author, a 85–99
Hogentogler, C. A., soil research 201, 202, 210
Homogenisers used in spot tests of asphaltic materials 59, 92
Honeycombing of concrete:
comparative data for vibrated and nonvibrated crushed stone and gravel pavement concretes of various proportions and consistences 25, 30, 31, 33–38, 41–49
measuring method, r. to p 31 (fn.)
Housel, W. S.:
formula for design of flexible pavements 209–211
soil research 202, 211
Hubbard-Field stability tests of liquid asphaltic mixtures 85, 93–95, 97–99
Hydraulic pressures in compressible soils under load, hydraulic pressure gradients 1, 2, 10, 14–17
"Hydrodynamic excess" in compressible soils under load 14, 15

I

Igneous rocks (classification, composition, texture) 69, 70, 74
Impact forces on road surfaces:
allowances for, in design of flexible pavements 202, 206, 211, 212
relation to—
speeds of vehicles on flexible pavements 206
sprung loads of vehicles on flexible pavements 206
tire type 205, 206
research—
foreign research 185, 204–208
recommendations 211, 212
Impact machines:
machine for impact and sustained load tests of concrete specimens 185–194
oscillating machines for tests of pavements 205–207
Impact moments in reinforced concrete bridge slabs under load, impact factors 153, 155–157, 163
Impact reactions of pavements:
comparative data for flexible and for rigid pavements 204–206
elapsed time range for concrete pavements 185
relation to vibratory movements in subgrades 207
Impact tests:
of concrete specimens (cantilever) 185–194
of liquid asphaltic mixtures—
data for—
cracked and uncracked materials and a blend 85, 94, 95, 99
cylinders aged under glass 94, 95
method and apparatus used 94
of pavements, by use of oscillating machines 205–207
Imposts (State), receipts from various State imposts and disposition of, 1936 64, 80, 81, 138–145
Inertia, moments of:
of culvert pipe (corrugated metal) under load—
formulas 218–223
values for various gages of pipe 220, 221
of pendulums and elements of, determination 188, 190
of wheel and tire assemblies of machine for load tests of cantilever concrete specimens 190
Inspection fees (motor-fuel), etc., receipts from (1936) and allocations to general funds 64, 138, 139, 144, 145
Iowa Engineering Experiment Station, cooperative research, design of flexible pipe culverts 217–231
Iron (cast-iron), use in road surfaces, road congress subject 232
Iron (cast-iron) culverts:
supporting power, r 217
tests of, r. to p 223 (fn.)
Iron disulphides, effect on rock 72

J

Jackson, F. H., joint author, a 25–49
Jensen formula for moments of inertia of corrugated metal pipes 219–221
Johns Hopkins University, cooperative study, passing of vehicles on highways 121–137
Joints in concrete pavements, action under vibration of pavement by oscillating machine 206, 207

K

Kellermann, W. L., author, joint author, a 25–49, 53–58, 61
Kelley, E. F., r. to p 201 (fn.)
Kögler, F., soil research 204, 205

L

Land area of United States per mile of surfaced State highways, by geographic divisions, 1935 106, 107
Landscape values, preservation in forest highway design 169, 170, 176

Page

Lanes, traffic:
number of, relation to speeds of vehicles, Connecticut observations 76
positions of vehicles in when passing or being passed 121–137
single and dual carriage-ways, road congress subject 232
Lelievre formula for design of flexible pavements 207–209
Level road rise equivalents, determinations for motor-vehicle equipment in current use 117
Lewellen, A. B., joint author, a 169–175, 182
Lewis, R. H., joint author, a 59–61, 85–99
Licenses and permits, receipts from in connection with:
motor-fuel tax, 1936 64
motor-vehicle taxes, 1936 80, 81
Light, action on asphaltic materials, exposure test data 59–61, 85–99
Light value of road surfaces, road congress subject 232
Lighting (highway), bibliography, publication notice 116
Limestone concrete:
moisture absorption, moisture loss, of concretes variously cured 54–58, 61
strength and uniformity as affected by vibration, comparative data for gravel and limestone concretes 25–49
strength as affected by curing conditions, comparative data for Haydite and limestone concretes 53–58, 61
Limestone dust, use in liquid asphaltic mixtures tested on circular track 85, 93, 98, 99
Limestones:
durability as concrete aggregates 69, 72, 73
mineral components detrimental to 72, 73
of Pennsylvania, r. to p 73
selection of, by petrographic methods, r. to p 77
weathering, differential weathering 72
Liquid asphaltic materials, slow-curing:
base materials of various liquid asphalts 60, 61, 85, 86, 88, 90
heterogeneity 59–61, 86, 87, 91–93
refining processes used for selected test materials 60, 85
specification requirements as indicative of road behavior 85, 86, 88, 99
test data for various materials and their residues 60, 61, 85–99
weather-resistant properties, investigation of 60, 61, 85–99
Liquid asphaltic paving mixtures:
circular track tests of 85, 93, 95–99
subsurface movement in circular track tests 95, 96
Load-deflection relations of, load-strain diagrams for, flexible culverts under earth embankments 217–231
Load distribution:
in flexible road surfaces and their subgrades 201–212
through tires 185–198, 205, 206, 208, 209
to culverts (corrugated metal pipe) under earth embankments, experiments and application of theory 217–231
Load-measuring device in machine for load tests of concrete 192, 193
Load tests:
of concrete cantilever specimens by impact and sustained loads 185–194
of concrete pavements by use of oscillating machines 205–207
of crushed stone layers on dry sand and on wet clay 204
of flexible pavements 203–207
of gravel roads in Minnesota 204
of soils—
compression tests of soil samples 1, 2, 6, 7, 19, 20
theory of soil consolidation and testing of foundation soils, a 1–20
under application of—
periodic forces 205–207, 212
sustained load 202–206, 211, 212
of tires 186, 187, 196, 197
Loaded areas (five types) at ground surface, pressure distribution produced below, formulas 4–20
Loads:
breaking loads, moduli of rupture, in strength tests of—
Haydite and limestone concretes, variously cured 55–57
vibrated and nonvibrated pavement concretes 30–32, 38, 39, 47, 48
critical loads on flexible pavements 202, 204, 206, 211, 212
dead loads and live loads on concrete bridge floor slabs, data for slabs of two types of reinforcement, and various conditions of slab support 149–167
sprung loads of vehicles moving over obstructions, relation to intensity of dynamic force applied to flexible pavement 206
used—
in compaction of stability test specimens of liquid asphaltic mixtures 93, 95

Page

Loads—Continued.
used—continued.
on tires in circular track tests of liquid asphaltic mixtures ... 95, 98
Loam:
as fill material, pressure distribution to flexible culverts ... 221, 230, 231
bearing power of silt loam, relation to size of bearing area ... 203, 205
sustained load tests of dry loam and moist loam, pressure distribution data ... 205, 211
Loam subgrade, use for concrete slabs tested for effects of oscillator force impulses ... 206
Local roads and streets, funds for from various State tax receipts, 1936 ... 138–145
Loss tests of liquid asphalt (slow-curing) ... 85–99

M

Macadam roads:
pressure distribution through ... 207, 208
speeds (vehicle) observed on, Connecticut data ... 76
water-bound macadam roads, design and construction, research ... 207
Maintenance, highway, funds for, *see* Revenues, highway.
Marble (calcitic, dolomitic), mineral components detrimental to ... 72, 73
Marcasite as component of rocks, effects of ... 72
Marking of highways, center stripes as affecting position of vehicles passing on highways ... 124
Marston's conduit load theory:
application in design of flexible culverts ... 220, 222–225, 227, 228
r. to p ... 224 (fn.)
Maryland, State Roads Commission of, cooperative study of passing of vehicles on highways ... 121–137
Massachusetts formula for design of flexible pavements ... 207–209
Massachusetts Institute of Technology, soil research (cooperative) ... 1
Material handling in construction of channel changes on forest highways, methods and costs ... 169–172, 175
Mats (hay, straw, other), use in erosion control of forest highway fills ... 176–182
McCullough, C. B., r. to p ... 137
Meister, F. J., research ... 205, 206
Metal pipes (corrugated) as culverts, design (structural), a ... 217–231
Metamorphic rocks:
classification ... 69
foliated varieties as concrete aggregates ... 73, 74
Mica as constituent of rock:
black mica ... 70–72
effect upon durability of rock ... 70, 72–74
weathering and products of ... 70–72
white mica ... 73
Micaceous granite ... 70–72
Micaceous soils on forest highway fills, erosion control (California) ... 179–182
Micrographic texture of rocks ... 74
Micrometers, mounting in machine for load tests of concrete ... 193
Microscopes, petrographic ... 69, 70, 74
Microscopic examination of rocks, preparation of samples ... 69, 70, 77
Mileage data:
for automobile tourist travel in several States (United States) ... 104, 105, 112, 115, 116
for surfaced highways on primary State systems (United States) and land areas per mile of such highways, 1935 ... 106, 107
see also Federal-aid highway projects — United States Public Works road construction—United States Works Program highway projects.
Mineral constituents of rocks:
alteration products of some common minerals ... 70–72
effects of various types of minerals ... 69–74, 77
identification by petrography ... 69–74, 77
Mineralogy, thin-section, r. to p ... 77
Moist curing of concrete as affecting strength of Haydite and limestone concretes ... 53–58, 61
Moisture content:
of concrete, relation to strength ... 53–58, 61
of soils—
control methods ... 201, 203
movement in consolidation of compressible soils under pressure ... 1, 4–8, 14–17
optimum moisture content ... 201, 203, 230, 231
receipt of pressures in compressible soils under load ... 1, 2, 10, 14–17
relation to pressure distribution and bearing power ... 1–20, 201, 205
see also other headings beginning Moisture—*also* Absorption—Freezing.
Moisture loss of concrete, comparative data for Haydite and limestone concretes variously cured and tested at different ages ... 54–58, 61
Moisture stresses in test concretes ... 56–58, 61
Moments:
formulas—
for culvert pipe (corrugated metal) under earth embankments ... 218–223, 230

Page

Moments—Continued.
formulas—continued.
Westergaard and modified formulas applicable to calculation of reinforcement requirements of concrete bridge floor slabs ... 149–167
of pendulum masses about centers of suspension ... 188, 190
Mortar:
ratio of volume to volume of voids in coarse aggregate, data for vibration test mixes of pavement concretes ... 29, 30
sand-cement mortar layer, use on base course of circular test track ... 95
Motion pictures of vehicles in the act of passing on highways, apparatus and frames ... 121–123
Motor-carrier tax receipts (State) for 1936, totals and disposition of ... 142, 143
Motorcycles:
motorcycle and sidecar used in the measurement of slipperiness of road surfaces ... 62
registrations and fees paid for, United States, 1936 ... 78–81
Motor-fuel consumption:
amount of fuel taxed for highway use, comparative data for 1935 and 1936 ... 63
by heavy equipment, estimation of, formulas ... 117
by passenger vehicles ... 117, 118
relation to—
grades, highway ... 117, 118
speed, vehicle ... 117, 118
weight, vehicle ... 117, 118
Motor-fuel taxes (State), 1936:
exemptions (amounts of fuel exempted) ... 63
rates ... 63, 64
receipts—
allotments for highway and for nonhighway purposes ... 138, 139
amounts and disposition of ... 64, 138, 139
refunds and amounts of fuel subject to refund ... 63, 64
Motor-vehicle taxes, receipts from and disposition of, statistics (1936) for various State imposts on highway users ... 64, 80, 81, 138–145
Motor vehicles:
dimensions, relation to used widths of roads ... 121–124, 128–130, 132–137
foreign (out-of-State) motor vehicles observed in various States ... 75, 76, 101–116
fuel consumption ... 63, 117, 118
level road rise equivalents ... 117
operating expenses ... 114, 115, 117, 118, 201
passenger motor vehicles—
persons per vehicle, data for automobile tourists ... 102, 105, 111–114
registrations and receipts from registration fees, 1936 ... 78–81, 106
use for business, for pleasure ... 104–106, 109, 110, 114
passing on highways, a ... 121–137
publicly owned motor vehicles—
motor fuel used by, amounts exempted from payment of motor-fuel tax ... 63
registrations (1936) ... 78, 79
speeds observed on Connecticut highways ... 75–77
thermal efficiency, relation to speed and road grades ... 118
tourist travel in United States, use for ... 101–116
see also other headings beginning Motor—*also* headings beginning Impact, Traffic—*also* Busses—Static loads—Tires—Trailers and semitrailers—Trucks—Wheel loads.
Mountain roads:
Diesel fuel consumption by trucks on, comparison with gasoline consumption ... 118
forest roads—
channel changes on, a ... 169–175, 182
erosion control experiments, a ... 176–182
Mud deposits, consolidation of, theory of, r. to p ... 15 (fn.)

N

Naphtha, use as solvent in tests of asphaltic materials and results obtained ... 59, 60, 86, 88, 89, 91–94, 98
Naphtha-xylene blend, use in heterogeneity tests of liquid asphalts ... 60, 92, 93
National forests, national parks:
tourist travel to—
by automobile ... 101–104, 107, 111
by rail ... 102
see also Park and forest roads, etc.
Nephelite, effect upon durability of rock ... 70
Netherlands, Eighth International Road Congress in, program of ... 232–233
Night driving, vehicle speeds observed at night on Connecticut highways ... 75, 76

O

Obligations (highway), service of, funds for from various State tax receipts, 1936 ... 138–145
Obsolescence of highways, consideration in forest highway design ... 170

Page

Oil-processed roads:
aggregates used in, gradings ... 93
liquid asphalts (slow-curing) for use in ... 60, 61, 85–99
Oil-treated gravel roads, resistance to deformation under load, factors affecting ... 208
Oils:
percentages used in liquid asphaltic test mixtures ... 93
types used in production of various asphaltic materials ... 59, 60, 85, 86, 88, 90
Oliensis spot tests of asphaltic materials:
data for—
liquid asphalts (slow-curing) ... 59–61, 86–88, 91–93
semisolid asphalts ... 59–61
improved method, a ... 59–61
Operating costs of motor vehicles ... 114, 115, 117, 118, 201
Oregon studies of effect of highway design on vehicle speed and fuel consumption ... 117, 118
Organic acids as affecting rock decay ... 70
Organic matter insoluble in CS_2 and CCl_4:
development in cracking-coil residues of asphaltic materials under exposure as means of detecting heterogeneity ... 60
see also Solubility tests.
Oscillating machines, use in load tests of pavements, of soils ... 205–207
Oscillation of pendulums, theory and application in concrete testing machine ... 186–192
Oscillator force impulses, propagation in pavements and soils ... 205–207
Oven aging of liquid asphalts (slow-curing), effects of ... 93–95
Oven curing of test concretes and effects of ... 54, 55, 58
Oven drying of aggregates used in test concretes ... 53, 54
Ovens for camp use, r. to p ... 212
Overheating of asphaltic materials during refining processes as indicated by:
Oliensis spot tests ... 59, 61
solubility in cold carbon tetrachloride ... 59
Oxidation of components of rocks ... 70, 72

P

Page impact machine ... 94
Page impact tests of liquid asphaltic mixtures ... 85, 94, 95, 98, 99
Palmer, L. A., joint author, a ... 1–20
Pans, vibrating, mounting and operation in concrete pavement finishing machines ... 25–28, 41, 48
Park and forest roads, etc.:
channel changes, a ... 169–175, 182
erosion control (experimental) on forest highway fills, a ... 176–182
funds for from various State tax receipts, 1936 ... 138–142, 144, 145
see also National forests, national parks.
Parker, J. L., joint author, a ... 149–167
Parking places on scenic drives ... 103, 107, 116
Passenger automobiles, *see* Motor vehicles.
Passenger-carrying motor vehicles, speeds of, Connecticut data ... 76
Passing of vehicles on highways, a ... 121–137
Peabody, L. E., joint author, a ... 101–116
Penalties, *see* Fines and penalties.
Pendulums:
description of pendulum used in machine for load tests of concrete ... 186–191
motion, principles of ... 186–192
Penetration data:
for bitumen recovered from stability specimens of liquid asphalts aged in glass-covered boxes ... 94
for liquid asphalts (slow-curing) and their residues tested for weather-resistant properties ... 85, 87–92
for semisolid asphalts tested by improved Oliensis test ... 60
Percussion, centers of, in pendulums ... 187–192
Periodic forces:
application to road surfaces by oscillating machine ... 205–207
see also Pendulums.
Permeability of soils:
coefficient of permeability—
determination ... 1–3, 14, 15
relation to voids ratio of soil ... 2, 3
determination by means of compression test device ... 1, 2
relation to consolidation of soils under load ... 1–3, 5–12, 14–20
Permeability tests of liquid asphaltic mixtures tested on circular track, r ... 96
Permits, permit fees, *see* Licenses and permits.
Petrographic descriptions of rock specimens, sample data sheet ... 71
Petrography:
r. to p ... 70 (fn.), 77
value in determining quality of rock, a ... 69–74, 77
Picnic areas:
camp stoves and fireplaces for use in, r. to p ... 212
roadside picnic area (illustration) ... 107
Pipe culverts (corrugated metal), design, structural, a ... 217–231
Pitting:
of concrete structures, relation to aggregates used ... 73
of rocks, data for porphyritic granite ... 74

Page

Plants, plantings, in erosion control (experimental) of forest highway fills:
cost data ... 177
types used ... 176–178, 181
Plasticity data for liquid asphaltic mixtures tested on circular track ... 97, 99
Pleasure, use of automobiles for ... 104–106, 109, 110, 114
Police, State highway, funds for from various State tax receipts, 1936 ... 138, 140, 142, 144
Population and passenger vehicle registration by geographic divisions, 1936 ... 106
Porosity of soil strata bounding compressible soils under load, relation to consolidation of soils ... 1–20
Porous base courses, use for circular test track ... 95
Porous stones, use as filters in soil compression test device ... 1, 2
Porphyritic texture of rocks ... 74
Power units, types used on vibrating equipment for experimental pavement concretes ... 26, 27
Press, Heinrich, soil research ... 203, 205, 211
Pressure cells, use, r ... 204, 209
Pressure distribution:
in compressible soil strata between bounding surfaces of different conditions of permeability—
computations ... 4–19
pressure carried by—
"soil skeleton" ... 1, 2, 10, 14–17
water ... 1, 2, 10, 14–17
pressures exerted by weight of soil strata prior to loading ... 9–12, 15
ratios of pressures at upper surfaces of soil strata to pressures at lower surfaces, several conditions ... 4–12, 18, 19
rectangular pressure distribution ... 4–9, 17, 18
relation to—
consolidation of soils ... 1–20
depth of soil stratum ... 2, 4–20
size and shape of loaded area ... 4–14
voids ratio ... 2, 3, 5–12, 14, 15
trapezoidal pressure distribution ... 4–12, 17–19
triangular pressure distribution ... 4–9, 11, 17, 18
in soils adjacent to loaded areas of flexible pavements ... 210, 211
in soils beneath concrete pavements set in vibration by oscillating machines ... 206–207
in soils beneath flexible pavements under load—
angle of transmission ... 207–210
Massachusetts rule ... 207–209
pressure-measuring equipment, need of ... 211
relation to—
rigidity of surface ... 202–205, 208, 210–212
shearing resistance of soil and of mat material ... 209–212
size and shape of loaded area ... 201–212
soil characteristics ... 203–205, 208, 210–212
thickness of surface course ... 202, 204, 207–212
tire width, tire area of contact ... 205–211
weight of road mat ... 204, 210
research—
foreign research ... 202–206
recommendations ... 211, 212
in soils beneath foundation structures, research findings as applicable to design of flexible pavements ... 202–204, 211
on culvert pipe (corrugated metal) under earth embankments—
culverts with and those without tamped side fills, comparative data ... 224–231
experiments and application of theory ... 217–231
measurement by friction ribbons ... 224–229
moduli of passive resistance ... 221–224, 228–231
Pressures:
application methods and applied pressures in compression tests of soils ... 1–3, 7
unit pressures over contact areas of tires, variations in, determination of, a ... 195–198
Proctor, R. R., soil research ... 201
Proportioning:
of concrete—
proportions used for specimens tested for effect of curing conditions ... 53
specification requirements recommended for vibrated pavement concrete ... 43
variations in proportions of vibrated pavement concrete and effects upon costs and quality ... 25–49
of liquid asphaltic mixtures tested on circular track ... 93
Public Works highway construction, *see* United States Public Works road construction.
Pyrite as constituent of rocks, effects ... 70, 72

Q

Quartz and quartzite (origin, texture, weathering) ... 69–72, 74

R

Railroad and automobile tourist travel to national parks, comparative data ... 102
Ramspeck, A., research ... 206, 207
Rankine theory of lateral earth pressures ... 221
Raveling:
of fill surfaces on forest highways, treatment ... 182
of liquid asphaltic mixtures tested on circular track ... 95, 96, 98, 99
Recreational areas, camp stoves and fireplaces for use in, r. to p ... 212
Refining processes used for asphaltic materials:
as indicated by—
Oliensis spot tests by improved method ... 61
solubility of materials in carbon tetrachloride ... 59
data for various materials tested ... 59, 60, 85
Registration and other fees (motor-vehicle), receipts from, statistics by States, 1936 ... 80, 81
Registrations, motor vehicle:
passenger vehicle registrations and population by geographic divisions of the United States (1936) ... 105
statistics, by States (1935, 1936) ... 78, 79
Residues of selected asphaltic products, test data ... 59–61, 85–99
Revenues, highway:
current status of funds for—
Federal-aid highway projects ... 21, 50, 65, 82, 100, 119, 146, 168, 183, 199, 213, 234
United States Public Works road construction .99; rear covers of Nos. 1–4, 7, 11
United States Works Program—
grade crossing projects ... 23, 52, 67, 84, 148, 215; rear covers of Nos. 5, 6, 8–10, 12
highway projects ... 22, 51, 66, 83, 120, 147, 184, 200, 214, 235; rear covers of Nos. 5, 8.
receipts from various State imposts, allotments for highway purposes (1936) ... 138–145
see also Motor-fuel taxes (State), 1936—Motor-vehicle taxes.
Revetments, use in erosion control of forest highway fills ... 176
Ribbons, friction, use in measurement of pressures on flexible culverts under earth embankments ... 224–229
Ring analysis of culvert pipes under earth embankments ... 217–223, 230, 231
Riprap, use in channel changes on forest roads ... 169–175, 182
Road congresses:
Eighth International Road Congress, program ... 232, 233
Third International Road Congress, reports (water-bound macadam roads), r ... 207
Roadside facilities for automobile tourists, illustrations ... 103, 107, 110, 116
Roadside plantings used on forest roads in erosion control ... 176–178, 181
Rocks:
quality, petrographic determination of ... 69–74, 77
texture and textural terms ... 69, 71, 74
weathering and products of ... 69–74
see also Aggregates—Riprap
Roughness, road, as affecting impact reactions, r. to p ... 185 (fn)
Rubber, use in road surfaces, road congress subject ... 232
Rubber-block pavements, skidding coefficients ... 62
Runner, D. G., a ... 69–74, 77
Rupture, moduli of:
comparative data for—
Haydite and limestone concretes variously cured and tested at different ages ... 55–57
vibrated and nonvibrated pavement concretes of various mixes ... 31, 32, 38, 39, 47, 48
values as influenced by "shell" effect produced in drying concrete ... 56, 57

S

Safety (highway), relation to vehicle speeds, Connecticut data ... 76, 77
Sand aggregates, types and proportions used:
in concretes (various) ... 25, 26, 53
in liquid asphaltic test mixtures ... 85, 93
Sand-cement ratios, variations in, effects on vibrated and nonvibrated pavement concretes ... 28–30, 41, 43–45, 47, 48
Sands and sandy soils, pressure distribution in and settlement of when under load ... 203–206
Sandstones:
as concrete aggregates ... 73, 74
feldspathic sandstones ... 73
Scheidig, A., soil research ... 204, 205
Schistose soils of forest highway fills, erosion control methods ... 176–182
Screeds, types and operating methods used for vibrated pavement concrete ... 25–28, 30, 41, 48
Season of the year as affecting vehicle speeds on highways, Connecticut data ... 75–77
Seismographs, use in load tests of soils and road surfaces ... 205, 206
Semisolid asphalts:
commercial grades of, investigation of ... 59–61
Oliensis spot tests before and after exposure ... 59–61
Service behavior:
of bituminous concretes, determination by impact test, r., r. to p ... 94
Service behavior—Continued. Page
of forest roads constructed with channel changes ... 175
of liquid asphalts (slow curing), simulated service tests ... 85, 93, 95–99
Settlement:
of culverts (corrugated metal pipe), comparative data for culverts with and those without tamped side fills ... 224–231
of soils—
data for—
cohesive and noncohesive soils ... 203, 205, 211
experimental fill used in study of culvert pipe ... 224–231
"pile action," development of ... 203
research applicable to design of flexible pavements ... 201–206, 211
theory of soil consolidation and testing of foundation soils ... 1–20
time settlement relations for various load and boundary conditions ... 1–20
Settlement cells, settlement plates, installation and use in study of flexible culverts ... 224, 228, 231
Shafer formula for moments of inertia of corrugated metal pipes and application of ... 219–221
Shavano, Angel of ... 212
Shear:
in elastic solids, r ... 13
in soils adjacent to loaded areas of flexible road mats ... 210, 211
radial shear, determination for culvert pipe (corrugated metal) under earth embankments ... 218, 222, 230
Shearing angle in load distribution to subgrade of flexible pavement ... 207–210
Shearing resistance of flexible road mats and their subgrade soils ... 210, 211
Shearing stresses in concrete specimens (cantilever) in load tests ... 187
"Shell" effect of nonuniform distribution of moisture in drying concrete ... 56, 57
Shoulders (highway), types and condition as affecting positions of vehicles passing on highways ... 124–129, 131, 132
Shoving of road surfaces, data for liquid asphaltic test mixtures ... 96
Shrinkage stresses in concrete test specimens during drying ... 56–58, 61
Sideswiping of motor vehicles in passing on highways, drivers' avoidance of ... 125, 127, 129, 130
Silt loam, bearing power of, relation to size and rigidity of bearing area ... 203, 205, 211
Skidding on road surfaces:
English investigations ... 62
relation to vehicle speeds ... 62
skidding coefficients for dry and for wet surfaces ... 62
Slides and slips on forest highway fills, prevention methods in erosion control ... 176–182
Slipperiness of road surfaces, measuring apparatus ... 62
Slump of pavement concrete:
reduction, effects upon vibrated and nonvibrated concretes variously proportioned ... 25, 28–31, 37, 38, 41–48
specification requirements and suggested modifications ... 25, 42–44
Snow and ice on highways:
as affecting speeds of vehicles, Connecticut data ... 75–77
slipperiness of snow-covered roads, measurements of ... 62
Softening points, data for residues of several slow-curing liquid asphalts and a blend ... 87–92
Soil characteristics:
as influencing—
bearing power and pressure distribution under load ... 1–20, 201–212
pressures on flexible culverts ... 221, 222, 230, 231
changing by artificial means ... 201–203, 211
data for soils on forest highway fills (California) ... 176, 177, 179, 181, 182
dynamic properties of soils ... 205–207
Soil consolidation:
coefficient of consolidation, determination and usefulness in computations ... 3, 6–12, 15, 20
compaction of soils at optimum moisture content ... 201, 203, 230, 231
computations for various types of pressure distribution and boundary conditions ... 1–20
resistance to exerted by soil skeleton, by water, in soil ... 1, 2, 10, 14–17
theory of, and testing of foundation soils, a ... 1–20
Soil pressure cells, use, r ... 204, 209
Soil research, soil tests:
by application of—
periodic forces ... 205–207
sustained loads ... 1–20, 202–205, 211
compression tests (laboratory) ... 1, 2, 6, 7, 19, 20
in foreign countries ... 1, 202–208
review of research auxiliary to design of flexible pavements ... 201–212
"Soil skeleton," receipt of pressures from applied loads ... 1, 2, 10, 14–17

Soil stabilization, methods used: Page
for subgrade soils 201–203, 211
in erosion control of forest highway fills 176–182
Soils, *see* headings beginning Soil—*also* names of types of soil.
Solubility requirements:
for asphaltic materials as protection against overheating in refining process 59
for distillation residues of liquid asphalts of SC–2 grade 86
Solubility tests:
of bitumen recovered from—
liquid asphaltic mixtures after traffic tests 98
stability specimens of liquid asphalts variously aged 94
of liquid asphalts (slow-curing) and their residues 60, 61, 85–89, 91–93
Solvents, types used and results obtained:
in heterogeneity tests of various asphaltic materials 59–61, 92, 93
in solubility tests of various asphaltic materials 59–61, 86–89, 91–94, 98
Spangler, M. G., a 217–231
Spasoff, I. Mansfield, joint author, a 101–116
Specific gravity (ies):
of concrete, comparative data for vibrated and nonvibrated pavement concretes of various mixes 30–32, 39–41, 45, 46
of liquid asphalts (slow-curing) tested for weather-resistant properties 86, 93
Speed detectors used in traffic surveys, description 75
Speed(s):
motor vehicle speed(s)—
data from study of passing of vehicles on highways 121, 123–127, 129, 131
relation to—
design of highways 77, 117, 118
dynamic load on flexible pavement 205, 206
fuel consumption and operating costs 117, 118
skidding coefficients 62
weather conditions 75–77, 117
weight of vehicle 117, 118
speeds observed on Connecticut highways—
comparative data for—
drivers with passengers and those without passengers 76
men drivers and women drivers 76
out-of-State vehicles and Connecticut vehicles 75, 76
relation to—
accidents 76, 77
road type, road condition, and traffic volume 75–77
time of day and season of year 75–77
of consolidation of soils under load, time-settlement relations of soils under various pressures 1–20
operating speeds used for vibrating equipment used on pavement concrete 26, 27
propagation speed of vibrations in soils under dynamic load 206, 207
Spot tests, *see* Oliensis spot tests.
Spreading methods and equipment used for vibrated concrete test pavements 25, 26, 30, 31, 43, 46
Stability:
of forest highway fills, stabilizing methods in experimental erosion control 176–182
of liquid asphaltic mixtures, test data 85, 93–99
of subgrade soils, improvement method 201, 203, 211
Stake and brush wattles, use in erosion control on forest highway fills 178–180
State roads:
funds for from various State tax receipts, 1936 138–145
surfaced mileage and land area per mile, United States by geographic divisions, 1935 106, 107
Static loads, effects:
on concrete (cantilever specimens), machine used in tests of 185–194
on flexible pavements and subgrade soils 202–206, 211, 212
Steam-reduced liquid asphaltic products, test data 59–61, 85–99
Steel ribbons, use in measurement of pressures on flexible culverts under earth embankments 224–229
Stoves (automobile, camp), r. to p 212
Strain gages, recording 193, 194
Strains:
in concrete, measurement in load tests of cantilever beams 189, 193, 194
in culvert pipe (corrugated metal) under earth embankments, measuring apparatus, measurements 218–220
in elastic solids (semi-infinite) under load 13
Straw mats, straw wattles, use in erosion control of forest highway fills 180–182
Streams, channel changes in, on forest highways 169–175, 182
Streets:
funds for construction and maintenance of, *see* Revenues, highway
Street(s)—Continued. Page
lighting, bibliography of, r. to p 116
Strength tests of concrete:
flexure specimens, machine for impact and sustained load tests of 185–194
Haydite and limestone concretes variously cured and tested at different ages 53–58, 61
vibrated and nonvibrated concretes of various mixes 25, 30–32, 38, 39, 41–49
Stresses:
in concrete beams, data for—
cantilever specimens tested for impact and sustained loads 186, 187, 191, 192, 194
Haydite and limestone concretes variously cured, moisture stresses 56–58, 61
in concrete bridge slabs under load, computation 149–167
in concrete pavements—
computation by Westergaard theory, r., r. to p 185 (fn.), 195 (fn.), 203
development under impact and sustained loads 185, 203, 206, 207
relation to pressure distribution over areas of tire contact 198
in culvert pipes (corrugated metal) under earth embankments 217, 219, 222, 230, 231
in flexible pavements, equation for bearing capacity of pavement in terms of resisting stresses 210, 211
in soils under load—
distribution of, determination by theory of soil consolidation 1, 2, 10, 13, 14
stress reactions of subgrades under flexible pavements 209–211
see also Pressure distribution—Shear.
Struts, use as affecting ratios between deflections and side pressures on flexible culverts under fills 217, 231
Subgrade reaction, modulus of, determination of, r 203
Subgrades:
improvement, methods of 201–203, 211
pressure distribution in, and supporting power of, subgrades of flexible pavements 201–212
vibratory movements under pavements subjected to oscillator force impulses 205–207
see also headings beginning Soil.
Sulphide minerals in chert and effects of 72
Sulphurous acids as affecting rock decay 70, 72
Summer driving, vehicle speeds observed on Connecticut highways in summer 75, 76
Sunlight, action on asphaltic materials, exposure test data 59–61, 85–99
Surfacing, road:
surfaced mileages on primary State highway systems and land areas per mile, by geographic divisions, 1935 106, 107
type and condition as affecting—
automobile tourist traffic, volume of 106, 110
motor fuel consumption 117, 118
passing of vehicles on highways 121–137
speed, vehicle 75–77, 117, 118
wet surfacing, skidding coefficients for 62
see also names of types of surfacing.
Surveys, survey data:
bridge surveys, "Highway Bridge Surveys," publication notice 137
passing of vehicles on highways 121 137
speeds (vehicle) on Connecticut highways 75–77
tourist travel in the United States 101–116
Swedish experiments, water pressures in compressible soil understrata 1

T

Tamping of side fill material as affecting deflections in flexible culverts under earth embankments 224–231
Tangential thrusts in flexible culverts under earth embankments 218, 222, 223, 230, 231
Taxes, *see* Motor-fuel taxes—Motor-vehicle taxes.
Teller, L. W., joint author, a 185–198
Temperature(s):
evaporating temperatures, effect upon texture and quality of residues from liquid asphalts (selected) 86, 87, 90
high temperatures, use in production of asphaltic materials as indicated by—
insolubility of contained bitumen in carbon tetrachloride 59
spot tests 59, 61
oven temperatures used in—
aging of stability specimens of liquid asphalts 93–95
curing of concrete specimens tested for effect of curing conditions on strength 54, 55, 58
subsurface and air temperatures during testing of liquid asphaltic mixtures on circular track 95
temperatures within exposure boxes in tests of liquid asphalts 89, 94
testing temperatures used for liquid asphalts (slow-curing) tested variously for weather-resistant properties 85–95, 97–99
transfer temperature of Dubbs process in reduction of crude oils 85
Temperature(s)—Continued. Page
variations in temperature as affecting—
durability of rock 69, 70
hardening of liquid asphalts (slow-curing) 88, 89, 93–95
water temperatures used in the curing of concrete test specimens containing burnt clay aggregates 54
Tensile stresses in fibers of concrete test beams during drying 56–58, 61
Tension reinforcement, areas of; data for reinforced concrete bridge floor slabs designed by modified formulas 158–162, 164–166
Tensometers, type used in load tests of culvert pipe 218
Terzaghi, Charles, soil research, r., r. to p 1, 2, 14, 20, 201, 202, 210
Testing machines, testing apparatus, types used:
in compression tests of soils (laboratory device) 1, 2, 20
in load tests—
of concrete cantilever beams 185–194
of pavements (flexible, rigid) and soils 205–207
in measurement of—
pressure distribution on and settlement of culvert pipe (corrugated metal) under earth embankment 224–229
slipperiness of road surfaces 62
variation in unit pressure over the contact areas of tires 195, 196
in service tests (simulated) of liquid asphaltic mixtures 95, 96
in strength tests of concrete specimens 30, 54, 185–194
in toughness tests of liquid asphaltic mixtures 94
Tests, *see* names of tests and names of materials tested—*also* Testing machines.
Thawing, thaws:
freezing and thawing as affecting durability of rock 69, 73
silver thaws and road slipperiness 62
Thermal efficiency of motor vehicles, relation to vehicle speed and road grade 118
Thickness of road surfaces, design for flexible pavements, a 201–212
Thompson, J. T., joint author, a 121–137
Thrust, determinations for flexible culverts under earth embankments 218, 222, 223, 230, 231
Tilden, C. J., a 75–77
Time-consolidation relations of soil strata under pressure, computations for various types of pressure distribution and boundary conditions 1–20
Time data for oscillation of pendulums and reduction of velocity during impact 187, 188, 191, 192
Time duration:
of contact between tire and test specimen in impact tests of concrete (formula) 191
of load on flexible pavement, research recommendation 211
Time rate of deformation of material as influencing effects of static and impact forces 185
Time savings in motor vehicle operation resulting from road grade reduction 118
Tires, motor vehicle:
contact areas—
size and shape and relation to effects of impact and sustained loads 187, 191–194, 196–198, 205–212
unit pressures over, variations in, determination of—
comparative data for solid and pneumatic tires 196–198
test equipment and procedure 195–198
loads on, load-carrying capacities of various tires used in tests 95, 186, 187, 192, 196–198, 206
type, relation to dynamic forces produced by moving wheel loads on flexible pavements 205, 206, 208
types, sizes, and mountings used in tests of—
cantilever specimens of concrete 186, 187, 189–192
unit pressures of tires over contact areas, variations in 195, 196
Toughness tests of slow-curing liquid asphaltic mixtures 85, 93–95, 99
Tourist camps and cabins:
camp stoves and fireplaces, r. to p 212
use by automobile tourists in the United States 107, 112–115
Tourist travel in the United States:
a 101–116
see also Foreign (out-of-State) motor vehicles.
Traffic, speed of, *see* Speed(s), motor vehicle speed(s).
Traffic surveys:
Connecticut—
r. to p 75 (fn.)
vehicle speeds on highways of 75–77
passing of vehicles 121–137
tourist travel in the United States 101–116
Traffic tests, circular track tests of liquid asphaltic mixtures 85, 93, 95–99

Page

Trailers and semitrailers, motor vehicle:
registrations and fees paid for, United States, 1936 ... 78–81
use by tourists in the United States ... 113, 114
Transfer or reregistration fees (motor vehicle), receipts from, 1936 ... 80
Trenching in erosion control of forest highway fills ... 176, 180–182
Trucks, motor:
and tractor trucks, etc.; registrations and fees paid for, 1936 ... 78–81
dimensions—
relation to—
positions of passenger vehicles on highways ... 124, 130, 132–137
used widths of roads ... 121–124, 128–130, 132–137
widths—
legal width ... 132
survey data ... 124, 130, 132–137
fuel consumption, relation to highway grades and weight of vehicle ... 117, 118
level road rise equivalents ... 117
loading diagram in study of design of reinforced concrete bridge floor slabs ... 149
passing of trucks and passenger cars on highways ... 121–137
speeds on highways ... 75, 123, 127, 129, 134
Tunnel illumination, r. to p ... 116

U

United States Public Works road construction, current status ... 99; rear covers of Nos. 1–4, 7, 11
United States Works Program:
grade crossing projects, current status ... 23, 52, 67, 84, 148, 215; rear covers of Nos. 5, 6, 8–10, 12.
highway projects, current status ... 22, 51, 66, 83, 120, 147, 184, 200, 214, 235; rear covers of Nos. 5, 8.
Users of highways, imposts on, receipts from and disposition of, statistics (1936) for various State imposts ... 64, 80, 81, 138–145

V

Vacuum-distilled semisolid asphalts, spot tests of ... 59, 60
Velocity:
of oscillation of pendulums ... 187, 188, 191, 192
of stream flow, reduction in channel changes on forest highways ... 169, 170
of water flowing through soil pores as affecting soil consolidation ... 1–3, 14, 15
tangential velocity formula for falling pendulum ... 188, 191
Viaducts, lighting of, r. to p ... 116
Vibrating equipment for use in placing pavement concrete, study of ... 25–49
Vibration:
effects in buildings, test used in study of ... 205
surface vibration of pavement concrete—
depth of slab affected by ... 42, 43
effect on strength and uniformity ... 25–49
vibration properties of road structures and their subgrades under loads applied by oscillating machine ... 205–207
Viscosity(ies) of liquid asphaltic materials:
data for slow-curing liquid asphalts tested for weather-resistant properties ... 85, 87, 88, 89
requirements for SC–2 grade materials ... 86, 88
viscosity tests at various temperatures, value of ... 88
Visibility as affecting speeds of vehicles on highways, r ... 76
Voids:
aggregate voids, data for various aggregates used in test concretes ... 25, 29, 30, 53
in concrete, honeycombing of concrete, data for vibrated and nonvibrated concretes of various mixes ... 25, 33, 31, 33–38, 41–49
Voids ratios of soils:
definition ... 2
relation to consolidation of soil samples and settlement of soil strata under load ... 2, 3, 5–12, 14, 15
values for soils under different pressures and prior to loading ... 2, 3, 7–12
Volatile matter, losses from liquid asphalts (slow-curing) ... 85–99
Volatilization residues of selected liquid asphalts (slow-curing), tests of ... 86, 87
Volatilization tests of liquid asphalts (slow-curing):
as causing alterations in materials ... 86
as indicative of—
incompatibility of blended mixture (cracked and uncracked materials) ... 87, 90, 99
volatility upon exposure ... 90
data for materials tested for weather-resistant properties ... 86, 87, 90, 99

W

Walls (retaining), materials for use in, petrographic examination of ... 69, 73
Water:
solvent action as hastening rock decay ... 70
see also headings beginning Moisture, Water—*also* Absorption—Channel changes—Concrete mixing water—Erosion control.
Water-cement ratio(s) of concrete:
comparative data for Haydite and limestone test concretes ... 53
recommendation for vibrated pavement concrete ... 43
variations in, effects upon vibrated and nonvibrated pavement concretes ... 25, 27–30, 41–48
Water content of concrete, mixing water remaining in Haydite and limestone concretes variously cured and tested at different ages ... 53–58, 61
Water curing of concrete:
immersion of air-cured test specimens prior to flexure tests ... 54–58, 61
relation to strength, data for Haydite and limestone concretes ... 53–58, 61
Waterproofing of absorptive soils on forest highway fills ... 181
Wattling of fill slopes of forest roads (California), methods and costs ... 176–182
Wave propagation of vibrations in soils and pavements under oscillator force impulses ... 205–207
Wax-bearing asphaltic residuals, spot test data ... 59, 60
Waxy bodies as cause of heterogeneity of semisolid asphalts, comparative efficiency of gilsonite and xylene in correction of heterogeneity so caused ... 59, 60
Wear test values for aggregates used in test concretes ... 26
Weather, *see* Climatic conditions, weather—Freezing—Weather-resistant properties—Weathering.
Weather-resistant properties of liquid asphaltic materials (slow-curing) ... 60, 61, 85–99
Weathering:
of rocks—
alteration products of various minerals ... 69–73
effect upon durability ... 69–74, 77
see also Erosion control—Exposure tests.
Welborn, J. Y., joint author, a ... 59–61
Westergaard, H. M., r. to p ... 149, 185 (fn.), 195 (fn.), 203
Westergaard and modified formulas for maximum moments in concrete bridge floor slabs of two types of reinforcement and various conditions of slab support ... 149–167

Page

Western States, automobile tourist travel in ... 104, 105, 108, 109, 112
Wet conditions, dry conditions:
alternately wet and dry conditions as affecting stability of liquid asphaltic mixtures ... 93–99
as affecting bearing capacity of, and pressure distribution in, soils ... 201, 205
Wheel loads:
application to—
cantilever specimens of concrete, machine for ... 185–194
circular test track, apparatus for ... 95, 96
distribution—
through tires ... 185–198, 205, 206
to bridge floor slabs ... 149–167
to flexible pavements and their subgrades ... 201–212
impact and sustained forces developed by ... 185–194, 202–212
measurement in determination of skidding coefficients of road surfaces ... 62
moments produced by, formulas applicable to calculation of reinforcement requirements of concrete bridge floor slabs ... 149–167
Width(s), highway:
adequacy (relative) of 18-foot, 20-foot, and 22-foot widths for modern traffic ... 121, 126–137
effective widths over which wheel loads are distributed on bridge floor slabs ... 149, 151, 152
relation to—
positions of vehicles in passing on highways ... 121–137
traffic speed and volume ... 76
used widths and total widths, comparative data ... 121–124, 128–130, 132–137
Willow cuttings, use in erosion control of forest highway fills ... 176, 177, 181
Winkler-Kock shell still refined asphalt, spot test data ... 60
Winter driving:
skidding coefficients for snow-covered roads ... 62
vehicle speeds observed on Connecticut highways in winter ... 75–77
Winterkorn, Hans F., soil research ... 201
Wollastonite ... 73
Wood-block pavements, skidding coefficients ... 62

X

Xylene:
as solvent in Oliensis tests of asphaltic materials ... 59–61, 92, 93
efficiency in correcting heterogeneity caused by waxy bodies in semisolid asphalts ... 60
"xylene insoluble"—
data for exposure residues of slow-curing liquid asphalts ... 60, 61, 93
definition ... 59
Xylene equivalents of asphaltic materials:
data for—
residues of slow-curing liquid asphaltic materials after exposure ... 60, 61, 92, 93
semisolid materials before and after exposure ... 59, 60
definitions ... 59, 92
determination, method ... 59
relation to—
exposure time and exposure film thickness ... 60, 61, 92, 93
gilsonite equivalents for same materials ... 59, 60
usefulness in interpretation of spot test results ... 60

Y

Yellowstone National Park, tourist data (1922–1930) ... 102

U. S. GOVERNMENT PRINTING OFFICE: 1938